2	Application No.	Applicant(s)
Notice of Allowability	09/924,869	SCARBERRY, EUGENE N.
	Examiner	Art Unit
	Huong Q. Pham	3764
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the paper filed on 8/9/2004 and the amendment filed on 6/8/04.		
2. The allowed claim(s) is/are 1,2,5-14 and 16.		
3. The drawings filed on <u>08 August 2001</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)		atent Application (PTO-152) (PTO-413),
 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10-3-06 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8), 7. ⊠ Examiner's Amendn	

Applicant's amendment filed on June 8, 2004 has been entered.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 5, line 1, change "41" to - - 1- -

The following is an examiner's statement of reasons for allowance:

The closest references in this case are the patents to Weaver et al, Gusakov et al, Day et al, Hon et al, Smuckler and Zenkick. Prior art does not teach the structure as recited in combination with an adhesive layer disposed on the first surface of a patient contacting member and adapted to secure the first surface to a surface of the patient, a channel defined through a stem having multiple branches emanating from the channel to distribute a release fluid over an area of the first surface, wherein the stem includes a first end portion operatively coupled to the second surface of the patient contacting member and an exposed second end portion for introducing the release fluid into the

Application/Control Number: 09/924,869

Art Unit: 3764

channel to urge the first surface and the surface of the patient apart, thereby dislodging the patient contacting assembly from the patient in a pneumatic fashion.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huong Q. Pham whose telephone number is (571) 272-4980. The examiner can normally be reached on 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (571) 272 - 4887. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3764

April 26, 2005

Manwher,

CREGORY L. HUSON
SUPERVISORY PAYENT EXAMINER
TEXTROLOGY OF ATER 3700